Copper Creek Electronic Deadbolts

KEYPAD ELECTRONIC DEADBOLT					Case Dimensions			
Order #	Configuration	SS	PB	TB	Case Qty	Remote Control	Lbs	Case LWH
DBE3410LF	Large Format Electronic Deadbolt	300.00	300.00	300.00	12	Included	42.0	7.5 x 5.5 x 3.3
DBE3410SF	Small Format Electronic Deadbolt	200.00	200.00	200.00	12	Not Available	27	6.5 x 6.0 x 4.3

DBE3410 LF
Large Format
"Remote Control" feature
Satin Stainless finish shown

- **Deadbolt unlocked from outside by entering correct code, or pressing remote control (LF version only), or manual key.**
- **Deadbolt unlocked from inside using manual turnpiece.**
- **Easy to program. Use up to 6 individual pass codes and 1 Master/Admin code.**
- **Elegant profiles with iluminated keypads for easy-read night use.**
- **Replaces any standard deadbolt, easy to install**
- **Uses 4 standard triple-A batteries to operate electric latch motor (included).**
- **2 year mechanical warranty, 10 year finish warranty.**

DBE3410 SF
Small Format
Satin Stainless finish shown

ELECTRONIC DEADBOLT SPECIFICATIONS		
	DB3410LF - Large Format	DB3410SF - Small Format
Remote Control Function	Full remote control function & keypad function. Remote includes pop out safety key.	Keypad function only - no remote control feature.
Height	5-7/8 inches	4-5/8 inches
Width	3 inches	3 inches
Latch	Steel adjustable round corner face plate (RCL) standard for both Deadlocking latch and Deadbolt Latch - Drive-in and Square corner optional.	
Strikes	2-1/4 standard deadbolt strike, and Full lip round corner (RCS) spring latch strike standard. others available (see page 15).	
Keys	Standard bow nickel plated key	
Cylinder	Solid brass 5-pin KW1 std. Schlage "C" optional.	
Door Prep	1" edge bore, 1"x 2-1/4" latch mortise std. 1" edge bore for RFL. 2-1/8 cross bore either 2-3/8" or 2-3/4" backset.	
Door Thickness	Minimum 1-3/8" Maximum 2"	
Power Supply	4 triple A batteries - Included	

CopperCreek HARDWARE

Large Format Electronic Handlesets

- **Deadbolt unlocked from outside by entering correct code, or pressing remote control (LF version only), or manual key.**
- **Deadbolt unlocked from inside using manual turnpiece.**
- **Easy to program. Use up to 6 individual pass codes and 1 Master/Admin code.**
- **Elegant profiles with iluminated keypads for easy-read night use.**
- **Includes remote control with retractable emergency key.**
- **Uses 4 standard triple-A batteries to operate electric latch motor (included).**
- **2 year mechanical warranty, 10 year finish warranty**
- **Compatible with all Copper Creek knob and lever interior assemblies.**

Remote control with retractable emergency key

Small Format Electronic Handlesets

- **Same operational functions as above with out the remote control.**
- **Deadbolt unlocked from inside using manual turnpiece.**
- **Easy to program. Use up to 6 individual pass codes and 1 Master/Admin code.**
- **Elegant profiles with iluminated keypads for easy-read night use.**
- **Uses 4 standard triple-A batteries to operate electric latch motor (included).**
- **2 year mechanical warranty, 10 year finish warranty**
- **Compatible with all Copper Creek knob and lever interior assemblies.**

CopperCreek HARDWARE

Copper Creek Electronic Handleset Pricing

ELECTRONIC HANDLESETS						Case Dimensions		
ASHTON (ATE)		**REMOTE CONTROL**	**SS**	**TB**	**PB**	**Qty**	**Lbs**	**LxWxH**
ATE4630LF	Large Fromat	Yes	468.00	468.00	468.00	6	30	24x21x7.5
ATE4630SF	Small Format	No	368.00	368.00	368.00			
COLONIAL (CZE)			**SS**	**TB**	**AB**	**Qty**	**Lbs**	**LxWxH**
CZE2630LF	Large Format	Yes	390.00	390.00	390.00	6	30	24x21x7.5
CZE2630SF	Small Format	No	290.00	290.00	290.00			
HERITAGE (HZE)			**SS**	**TB**	**AB**	**Qty**	**Lbs**	**LxWxH**
HZE2630LF	Large Format	Yes	390.00	390.00	390.00	6	30	24x21x7.5
HZE2630SF	Small Format	No	290.00	290.00	290.00			

ELECTRONIC HANDLESET SPECIFICATIONS		
	Large Format	Small Format
Interior Assembly Options	All standard interior assemblies are compatible (next page)	
Remote Control Function	Full remote control function & keypad function. Remote includes pop out safety key.	Keypad function only - no remote control feature.
Height	5-7/8 inches	4-5/8 inches
Width	3 inches	3 inches
Latches	Steel adjustable round corner face plate (RCL) standard for both Deadlocking latch and Deadbolt Latch - Drive-in and Square corner optional. (note that latches & strikes are configured with interior assemblies on next page and are not boxed with handlesets)	
Strikes	Latchbolt strike is full lip round corner (RCS) standard. Extended full lip strike optional. Deadbolt strike 2-1/4” x 1” RCS (DS26). Other deadbolt strikes available, see page 15.	
Keys	Standard bow nickel plated key (2)	
Cylinder	Solid brass 5-pin KW1 std. Schlage “C” or Weiser optional.	
Door Prep	1” edge bores, 1”x 2-1/4” latch mortises std. 1” edge bores for RFL option. 2-1/8 cross bores either 2-3/8” or 2-3/4” backset. 5-1/2” hole spacing for thumb latch and deadbolt latch.	
Door Thickness	Minimum 1-3/8” Maximum 2” - Thick door kits not available for Electronic locks	
Handing	All Electronic Handlests are non-handed.	
Power Supply	4 Triple A Batteries - Included	