
Recessed Mounted 4C Horizontal Mailboxes

continued on pages 22 - 23

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES FRONT OR REAR LOADING USES - PRINTER

Made of heavy duty aluminum and stainless steel hardware, Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P.S. approved and are available with standard MB1 mailbox doors (13-1/4" W x 3-1/4" H) and larger MB2, MB3 and MB4 mailbox doors – see door sizes on page 35. All pre-numbered mailbox doors include a heavy duty cam lock with a dust/rain shield and three (3) keys. Recessed mounted 4C horizontal mailbox units include factory installed 3/4" W x 1/4" D trim and are available in configurations that are one door wide (single column) and two (2) doors wide (double column). The Salsbury maximum height units (3716D-20) have two (2) fully integrated 15-1/2" high parcel lockers (PL4.5) and twenty (20) standard MB1 mailbox doors and meet the U.S.P.S. 4C requirement of one parcel locker for every ten (10) tenant compartments. Fully integrated and stand-alone parcel lockers are available in heights equivalent to three (3) standard MB1 mailbox doors (PL3 - 10-1/4" high) to six (6) standard MB1 mailbox doors (PL6 - 20-3/4" high). Each unit includes a compartment for outgoing mail collection and is labeled "Outgoing Mail". The outgoing mail compartment includes a weather protection flap and a 10-3/4" W x 3/4" H mail slot. Designed for indoor or outdoor use, recessed mounted 4C horizontal mailboxes feature a durable powder coated finish available in four (4) contemporary colors.





Note: Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P.S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.



3716D-20




Single Column - Rear Loading

Double Column - Front Loading

4C HORIZONTAL MAILBOX CONNECTOR KIT

Made of heavy duty aluminum, 4C horizontal mailbox connector kits easily connect multiple recessed mounted mailbox units providing easy installation. Each standard and custom recessed mounted 4C horizontal mailbox unit includes one mailbox connector kit (hardware included).





4C horizontal mailbox connector kits connect recessed mounted units side by side and eliminate the need for wood studs between the units.

Note: For installations accessed by the U.S. Postal Service, the tenant locks in the top row of mailboxes must be no more than 67" above the finished floor and the bottom shelf of the lowest row of mailboxes must be no less than 28" above the finished floor. The U.S.P.S. master arrow lock must be a minimum of 36" and a maximum of 48" above the finished floor. The bottom shelf of parcel lockers must be at least 15" above the finished floor.



MAXIMUM HEIGHT UNITS - 56-3/4" H



MB2 MB2 MB2 MB2 MB2 MB2 MB2 MB3 MB3 PL4.5 PL4.5 compartments. 3716D-09

15 DOOR HIGH UNITS - 55" H (equivalent to 15 standard mailbox doors (MB1) high)

3716S-09^{1,2,3} 9 MB1 Doors and one Parcel Locker (PL4.5) 16-3/8" W x 56-3/4" H x 17" D 85 lbs.

MAXIMUM HEIGHT UNITS - 56-3/4" H (maximum allowable height)

3716D-20^{1,2,3} 20 MB1 Doors and 2 Parcel Lockers (PL4.5's)

MODEL DESCRIPTION

3715D-18 ^{1,2,3}	18 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 55" H x 17" D	160 lbs.	\$1,640.00
3715D-16 ^{1,2,3}	16 MB1 Doors and 2 Parcel Lockers (PL6's)	31-1/8" W x 55" H x 17" D	160 lbs.	\$1,580.00
3715S-08 ^{1,2,3}	8 MB1 Doors and one Parcel Locker (PL5)	16-3/8" W x 55" H x 17" D	80 lbs.	\$805.00
3715S-07 ^{1,2,3}	7 MB1 Doors and one Parcel Locker (PL6)	16-3/8" W x 55" H x 17" D	80 lbs.	\$775.00
3715D-09 ^{1,2,3}	9 MB2 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 55" H x 17" D	150 lbs.	\$1,370.00

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES - FRONT OR REAR LOADING - U.S.P.S. APPROVED

UNIT SIZE - FL and RL (includes trim) WEIGHT


15 DOOR HIGH UNITS - 55" H

10 000.1				_	••	_				
				1		F			MB2	MB2
				}		l		П	MB2	MB2
	\geq			1			$\overline{}$	П	MB2	MB2
	\geq			}		l	\frown	П	MB2	$>\!\!<$
				1		lF		П	MB2	MB2
:PL5 :PL	5	: PL6	: PL6		:PL5		PL6		; PL5	; PL5
3715D-18	3	3715	5D-16	37	715S-08	37	15S-07	,	3715	D-09

14 DOOR HIGH UNITS - 51-1/2" H (equivalent to 14 standard mailbox doors (MB1) high)

3714D-16 ^{1,2,3}	16 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 51-1/2" H x 17" D	155 lbs.	\$1,510.00
3714D-15 ^{1,2,3}	15 MB1 Doors and 2 Parcel Lockers (PL5, PL6)	31-1/8" W x 51-1/2" H x 17" D	155 lbs.	\$1,480.00
3714S-03 ^{1,2,3}	3 MB2 Doors and one Parcel Locker (PL6)	16-3/8" W x 51-1/2" H x 17" D	75 lbs.	\$620.00
3714S-2P ^{1,2,3}	Stand-alone Parcel Lockers 2 (PL6's)	16-3/8" W x 51-1/2" H x 17" D	75 lbs.	\$540.00
3714D-07 ^{1,2,3}	7 MB2 Doors and 2 Parcel Lockers (PL6's)	31-1/8" W x 51-1/2" H x 17" D	145 lbs.	\$1,240.00

14 DOOR HIGH UNITS - 51-1/2" H



13 DOOR HIGH UNITS - 48" H (equivalent to 13 standard mailbox doors (MB1) high)

3713D-14 ^{1,2,3}	14 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 48" H x 17" D	150 lbs.	\$1,380.00
3713D-13 ^{1,2,3}	13 MB1 Doors and 2 Parcel Lockers (PL5, PL6)	31-1/8" W x 48" H x 17" D	150 lbs.	\$1,350.00
3713S-06 ^{1,2,3}	6 MB1 Doors and one Parcel Locker (PL5)	16-3/8" W x 48" H x 17" D	75 lbs.	\$675.00
3713S-05 ^{1,2,3}	5 MB1 Doors and one Parcel Locker (PL6)	16-3/8" W x 48" H x 17" D	75 lbs.	\$645.00
3713D-07 ^{1,2,3}	7 MB2 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 48" H x 17" D	140 lbs.	\$1,170.00

13 DOOR HIGH UNITS - 48" H



12 DOOR HIGH UNITS - 44-1/2" H (equivalent to 12 standard mailbox doors (MB1) high)

3712D-12 ^{1,2,3}	12 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 44-1/2" H x 17" D 145 lbs.	\$1,250.00
3712D-11 ^{1,2,3}	11 MB1 Doors and 2 Parcel Lockers (PL5, PL6)	31-1/8" W x 44-1/2" H x 17" D 145 lbs.	\$1,220.00
3712S-02 ^{1,2,3}	2 MB2 Doors and one Parcel Locker (PL6)	16-3/8" W x 44-1/2" H x 17" D 70 lbs.	\$520.00
3712S-2P ^{1,2,3}	Stand-alone Parcel Lockers 2 (PL6's)	16-3/8" W x 44-1/2" H x 17" D 70 lbs.	\$440.00
3712D-05 ^{1,2,3}	5 MB2 Doors and 2 Parcel Lockers (PL6's)	31-1/8" W x 44-1/2" H x 17" D 135 lbs.	\$1,040.00


12 DOOR HIGH UNITS - 44-1/2" H

				•						
					MB2				MB2	MB2
				1	MB2		: PL6		MB2	MB2
	><		\rightarrow		>				MB2	> <
PL5	; PL5	; PL6	PL5		; PL6		; PL6		: PL6	; PL6
3712	2D-12	37	12D-11	3	712S-02	3	712S-2F	, '	3712	2D-05

11 DOOR HIGH UNITS - 41" H (equivalent to 11 standard mailbox doors (MB1) high)

3/11D-20 ^{1,2,3}	20 MB1 Doors - no Parcel Lockers	31-1/8" W x 41" H x 1/" D	145 lbs.	\$1,400.00
3711D-09 ^{1,2,3}	9 MB1 Doors and 2 Parcel Lockers (PL5, PL6)	31-1/8" W x 41" H x 17" D	130 lbs.	\$1,090.00
3711S-09 ^{1,2,3}	9 MB1 Doors - no Parcel Lockers	16-3/8" W x 41" H x 17" D	75 lbs.	\$685.00
3711S-2P ^{1,2,3}	Stand-alone Parcel Lockers (PL5, PL6)	16-3/8" W x 41" H x 17" D	65 lbs.	\$405.00
3711D-05 ^{1,2,3}	5 MB2 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 41" H x 17" D	130 lbs.	\$970.00


11 DOOR HIGH UNITS - 41" H



10 DOOR HIGH UNITS - 37-1/2" H (equivalent to 10 standard mailbox doors (MB1) high)

3710D-18 ^{1,2,3}	18 MB1 Doors - no Parcel Lockers	31-1/8" W x 37-1/2" H x 17" D 135 lbs.	\$1,270.00
3710D-08 ^{1,2,3}	8 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 37-1/2" H x 17" D 125 lbs.	\$990.00
3710S-08 ^{1,2,3}	8 MB1 Doors - no Parcel Lockers	16-3/8" W x 37-1/2" H x 17" D 75 lbs.	\$620.00
3710S-2P ^{1,2,3}	Stand-alone Parcel Lockers 2 (PL5's)	16-3/8" W x 37-1/2" H x 17" D 65 lbs.	\$370.00
3710D-09 ^{1,2,3}	9 MB2 Doors - no Parcel Lockers	31-1/8" W x 37-1/2" H x 17" D 125 lbs.	\$1,000.00

10 DOOR HIGH UNITS - 37-1/2" H



Additional Units and Volume Discounts Available at Mailboxes.com!



² Specify - front loading (FL) or rear loading (RL)

³ Specify - U.S.P.S. access or private access (order #3775 master commercial lock for private access on FL units and PL's)



Recessed Mounted 4C Horizontal Mailboxes

for custom 4C mailbox units and options – see pages 32 - 35

ARCHITECT RESOURCES ON-LINE

visit: www.mailboxes.com/Architect-Resources

- Product Information
- Technical Drawings
- Installation Instructions
- Detailed Specifications
- AutoCAD Drawings
- 3D Revit / BIM Models
- Color Samples Request Form
- ADA Compliant Mailbox Units Available visit: www.mailboxes.com/ADA-4C-Mailboxes &



Note: Salsbury 3700 series recessed mounted 4C horizontal mailboxes and parcel lockers are U.S.P.S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.

4C MAILBOX CONFIGURATOR



Access our 4C Configurator at: www.mailboxes.com/4C-Configurator

Our 4C mailbox configurator will assist in determining the optimal number of mailboxes and parcel lockers based on your specific requirements. This robust tool also allows you to customize 4C mailbox units and add numbering sequences to drawings. In addition to clear and easy to read elevation line drawings with dimensions, our on-line mailbox configurator will also provide you with PDF, Word, Excel and AutoCAD drawing files to download for your project. Purchasing products and requesting a quote on-line is simple and convenient.








 $C \cup S \top O \lor$

IGNAGE

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES - FRONT OR REAR LOADING - U.S.P.S. APPROVED

9 DOOR HIGH UNITS - 34" H (equivalent to 9 standard mailbox doors (MB1) high) 3709D-16^{1,2,3} 16 MB1 Doors - no Parcel Lockers 31-1/8" W x 34" H x 17" D 125 lbs. \$1,140.00 3709D-10^{1,2,3} 10 MB1 Doors and one Parcel Locker (PL6) 31-1/8" W x 34" H x 17" D 115 lbs. \$970.00 3709S-07^{1,2,3} 7 MB1 Doors - no Parcel Lockers 16-3/8" W x 34" H x 17" D 70 lbs \$555.00 3709S-02^{1,2,3} \$415.00 2 MB1 Doors and one Parcel Locker (PL5) 16-3/8" W x 34" H x 17" D 60 lbs.









PL5 3709S-02

8 DOOR HIGH UNITS - 30-1/2" H (equivalent to 8 standard mailbox doors (MB1) high)

DESCRIPTION

3708D-14 ^{1,2,3}	14 MB1 Doors - no Parcel Lockers	31-1/8" W x 30-1/2" H x 17" D	115 lbs.	\$1,010.00
3708D-09 ^{1,2,3}	9 MB1 Doors and one Parcel Locker (PL5)	31-1/8" W x 30-1/2" H x 17" D	95 lbs.	\$870.00
3708S-06 ^{1,2,3}	6 MB1 Doors - no Parcel Lockers	16-3/8" W x 30-1/2" H x 17" D	65 lbs.	\$490.00
3708S-01 ^{1,2,3}	1 MB1 Door and one Parcel Locker (PL5)	16-3/8" W x 30-1/2" H x 17" D	55 lbs.	\$350.00







· PL5 3708S-01

7 DOOR HIGH UNITS - 27" H (equivalent to 7 standard mailbox doors (MB1) high)

3707S-1P ^{1,2,3}	Stand-alone Parcel Locker (PL5)	16-3/8" W x 27" H x 17" D	50 lbs.	\$285.00
3707S-05 ^{1,2,3}	5 MB1 Doors - no Parcel Lockers	16-3/8" W x 27" H x 17" D	55 lbs.	\$425.00
3707D-06 ^{1,2,3}	6 MB1 Doors and one Parcel Locker (PL6)	31-1/8" W x 27" H x 17" D	90 lbs.	\$710.00
3/0/D-12 ^{1,2,3}	12 MB1 Doors - no Parcel Lockers	31-1/8" W x 2/" H x 1/" D	100 lbs.	\$880.00

7 DOOR HIGH UNITS - 27" H





Note: More recessed mounted 4C horizontal mailboxes available on page 21 and on-line.



6 DOOR HIGH UNITS - 23-1/2" H (equivalent to 6 standard mailbox doors (MB1) high)

3706S-1P ^{1,2,3}	Stand-alone Parcel Locker (PL6)	16-3/8" W x 23-1/2" H x 17" D	45 lbs.	\$220.00
3706S-04 ^{1,2,3}	4 MB1 Doors - no Parcel Lockers	16-3/8" W x 23-1/2" H x 17" D	50 lbs.	\$360.00
3706D-04 ^{1,2,3}	4 MB1 Doors and one Parcel Locker (PL6)	31-1/8" W x 23-1/2" H x 17" D	80 lbs.	\$580.00
3706D-10 ^{1,2,3}	10 MB1 Doors - no Parcel Lockers	31-1/8" W x 23-1/2" H x 17" D	90 lbs.	\$750.00

6 DOOR HIGH UNITS - 23-1/2" H







PL6 3706S-1P

5 DOOR HIGH UNITS - 20" H (equivalent to 5 standard mailbox doors (MB1) high)

3705D-08 ^{1,2,3}	8 MB1 Doors - no Parcel Lockers	31-1/8" W x 20" H x 17" D	75 lbs.	\$620.00
3705D-03 ^{1,2,3}	3 MB1 Doors and one Parcel Locker (PL5)	31-1/8" W x 20" H x 17" D	65 lbs.	\$480.00
3705S-03 ^{1,2,3}	3 MB1 Doors - no Parcel Lockers	16-3/8" W x 20" H x 17" D	40 lbs.	\$295.00
3705S-1P ^{1,2,3}	Stand-alone Parcel Locker (PL5)	16-3/8" W x 20" H x 17" D	30 lbs.	\$185.00

5 DOOR HIGH UNITS - 20" H









ADA COMPLIANT MAILBOX UNITS*

10 MB1 Doors - no Parcel Lockers

4 MB1 Doors - no Parcel Lockers

4 MB1 Doors and one Parcel Locker (PL6)

RECESSED MOUNTED 4C HORIZONTAL MAILBOXES - FRONT OR REAR LOADING - U.S.P.S. APPROVED

MODEL	DESCRIPTION	UNIT SIZE - FL and RL (includes trim)	WEIGHT PRICE		
10 DOOR HIGH UNITS - 37-1/2" H (equivalent to 10 standard mailbox doors (MB1) high) 💍					
3710DA-10 ^{1,2,3}	10 MB1 Doors and 2 Parcel Lockers (PL4, PL4.5)	31-1/8" W x 37-1/2" H x 17" D	130 lbs. \$1,070.00		
3710DA-09 ^{1,2,3}	9 MB1 Doors and 2 Parcel Lockers (PL4.5, PL5)	31-1/8" W x 37-1/2" H x 17" D	130 lbs. \$1,030.00		
3710D-08 ^{1,2,3}	8 MB1 Doors and 2 Parcel Lockers (PL5's)	31-1/8" W x 37-1/2" H x 17" D	125 lbs. \$990.00		
3710D-07 ^{1,2,3}	7 MB1 Doors and 2 Parcel Lockers (PL5, PL6)	31-1/8" W x 37-1/2" H x 17" D	125 lbs. \$960.00		
3710SA-04 ^{1,2,3}	4 MB1 Doors and one Parcel Locker (PL4.5)	16-3/8" W x 37-1/2" H x 17" D	75 lbs. \$520.00		
3710S-2P ^{1,2,3}	Stand-alone Parcel Lockers 2 (PL5's)	16-3/8" W x 37-1/2" H x 17" D	65 lbs. \$370.00		
6 DOOR HIGH UNITS - 23-1/2" H (equivalent to 6 standard mailbox doors (MB1) high) 💍					

10 DOOR HIGH UNITS - 37-1/2" H













6 DOOR HIGH UNITS - 23-1/2" H



\$750.00

\$580.00

\$360.00

90 lbs.

80 lbs.

50 lbs.





5 DOOR HIGH UNITS - 20" H (equivalent to 5 standard mailbox doors (MB1) high) 5

book man own o to make the board manbox doors (mb2) mgm,						
3705D-08 ^{1,2,3}	8 MB1 Doors - no Parcel Lockers	31-1/8" W x 20" H x 17" D	75 lbs.	\$620.00		
3705D-03 ^{1,2,3}	3 MB1 Doors and one Parcel Locker (PL5)	31-1/8" W x 20" H x 17" D	65 lbs.	\$480.00		
3705S-03 ^{1,2,3}	3 MB1 Doors - no Parcel Lockers	16-3/8" W x 20" H x 17" D	40 lbs.	\$295.00		

5 DOOR HIGH UNITS - 20" H







More ADA units available online at: www.mailboxes.com/ADA-4C-Mailboxes


*All units meet ADA reach requirements when installed with the tenant locks in the top row of mailboxes no more than 48" above the finished floor and the bottom of the lowest row of mailboxes no less than 28" above the finished floor.

gold

31-1/8" W x 23-1/2" H x 17" D

31-1/8" W x 23-1/2" H x 17" D

16-3/8" W x 23-1/2" H x 17" D



³ Specify - U.S.P.S. access or private access (order #3775 master commercial lock for private access on FL units and PL's)



OUTGOING MAIL COMPARTMENT

Recessed mounted 4C horizontal mailboxes include a compartment for outgoing mail collection that is labeled "Outgoing Mail".

For custom 4C mailbox units, specifications & options - see pages 32-35



¹ Specify

3706D-101,2,3

3706D-04^{1,2,3}

3706S-041,2,3

sandstone

4C Horizontal Mailbox Specifications & Options

see 4C horizontal mailbox units on pages 16 - 33

- Manufactured by Salsbury Industries to USPS-STD-4C Specifications
- Required for New Construction and Major Renovations
- ADA Compliant Mailbox Units Available visit: www.mailboxes.com/ADA-4C-Mailboxes &
- For Indoor or Outdoor Use
- Fully Integrated or Stand-Alone Parcel Lockers

If Rear Loading: The front of the outgoing mail compartment is comprised of fixed panels (no access door). The rear of the unit incorporates one or two (2) access door(s) with heavy duty latches and continuous hinges. Units are available without rear access doors upon request. Note: Rear loading access is only available for recessed mounted units.





Front view of Rear Loading Recessed Mounted Double Column Unit displayed

Rear view of Rear Loading Recessed Mounted Unit with Rear Access Doors displayed

Note: U.S.P.S. standard 4C requires a minimum of one parcel locker for every ten (10) tenant compartments. Parcel lockers

are not required for installation sites with less than ten (10) tenant compartments.

DESIGN ASSISTANCE

Our design engineers are available to architects, specification writers and individuals involved in the design of mail distribution facilities, apartment complexes and commercial buildings. Visit the informative Architect Resources section of our website at: www.mailboxes.com/Architect-Resources to download specifications, technical drawings, AutoCAD and BIM/Revit models. You can also submit required layout and options for a price quotation.



State of Control of

4C CONFIGURATOR

Access our 4C Configurator online at: www.mailboxes.com/4C-Configurator to customize units or submit your required layout for a price quotation to quotes@mailboxes.com.



34

Custom recessed mounted 4C horizontal

If Front Loading: Units include one or two (2) master door(s) that swing(s) on continuous integral hinges. The outgoing mail compartment includes the access door and cannot be used for mail distribution. The rear of the unit incorporates a solid rear cover.



Note: Salsbury 4C horizontal mailboxes and parcel lockers are U.S.P.S. approved and meet the specifications of USPS-STD-4C. These units are required for new construction and major renovations.





Front view of Front Loading Recessed Mounted Double Column Unit with Doors Open displayed

4C HORIZONTAL MAILBOX SPECIFICATIONS & OPTIONS

FOR RECESSED MOUNTED, SURFACE MOUNTED, PEDESTAL MOUNTED AND FREE-STANDING MAILBOX UNITS

MAILBOX DOOR SIZES

Each aluminum door includes a heavy duty five (5) pin cylinder cam lock with a dust/rain shield and three (3) keys.

MB1 (1 High) 3-1/4" 13-1/4"

#37511 Replacement MB1 door and lock \$55.00

13-1/4 MB2 (2 High)

#37521 Replacement MB2 door and lock \$65.00

13-1/4" 10-1/4" MB3 (3 High)

#37531 Replacement MB3 door and lock \$75.00



#37541 Replacement MB4 door and lock \$85.00

PARCEL LOCKER DOOR SIZES

Parcel lockers offer tenants a convenient way to receive packages on site and are fit with a two (2) key security system.



#3753P1 Replacement PL3 door and lock \$100.00



#3754P1 Replacement PL4 door and lock \$105.00



#3754.5P1 Replacement PL4.5 door and lock \$110.00



#3755P1 Replacement PL5 door and lock \$115.00



#3756P1 Replacement PL6 door and lock \$120.00



Note: 3400 series pedestal mounted 4C horizontal mailboxes are available in the following finishes: sandstone, bronze, white, green, black or gray.

FINISHES

The durable and corrosion resistant 4C units feature a durable powder coated finish available in aluminum, bronze, gold or sandstone. (Excludes 3400 series pedestal mounted 4C horizontal mailbox finishes, see note below.) Custom finishes (#3766 - add 25% to unit price) are available as an option upon request.

DOOR IDENTIFICATION

Each standard 4C horizontal mailbox door has a 1" high number. The outgoing mail compartment is labeled "Outgoing Mail" and the parcel locker(s) are labeled with a "1P", "2P", etc. Custom identification systems are available as an option upon request.

CUSTOM ENGRAVED PLACARDS

1-3/4" W x 1-1/2" H custom engraved self-adhesive placards are available as an option upon request. (#3767 - \$3.00)



#3767

OUTGOING MAIL COMPARTMENTS One compartment in each unit is labeled "Outgoing Mail" and

includes a weather protection flap and a 10-3/4" W x 3/4" H mail slot.

Each 4C mailbox door includes a heavy duty five (5) pin cylinder cam lock with a dust/rain shield and three (3) keys (2,000 different key changes). (#3790 - \$15.00)



- Additional keys per lock when ordering (#3798 \$3.00)
- Key blanks box of (50) (#3799 \$35.00)
- · Custom lock installation cylinders provided by owner (for installations not serviced by the U.S.P.S.) (100 door minimum) (#3793 - \$5.00 additional per door)

For installations NOT serviced by the U.S.P.S.

- Mail slots (#3769 \$5.00) Standard slot size: 10-3/4" W x 3/4" H Custom slot sizes are available upon request.
- Plexiglass window 1-1/8" W x 7/8" H (#3771 \$3.00)
- Outgoing mail slot plug kit (#3770 \$35.00)





CUSTOM ENGRAVED DOORS

- · Custom engraved door regular (#3768 - \$5.00)
- · Custom engraved door black filled (#3774 - \$5.00)

123 #3768

123

MASTER COMMERCIAL LOCK

Factory installed if for private access - for front loading mailboxes and parcel lockers - with (2) keys (#3775 - \$30.00)



TENANT PARCEL LOCKER LOCK

For parcel locker door - with (3) keys (#3776 - \$40.00)



COMBINATION LOCK

Three (3) digit single dial combination lock with spring latch and automatic throw-off (for installations not serviced by the U.S.P.S.). Combination numbers can be changed by owner. (#3786 - \$15.00)



Note: Matching collection boxes and receptacles are available on-line.



