


BULLDOG

Commercial Hardware



 **CopperCreek**
HARDWARE

**Pricing &
Specification Guide
July 1, 2011**

Table of Contents

1. Bulldog Commercial Locksets

Series 6900 Grade-2 Interconnect	3
Series 6100 & 6200 Grade-2 Levers	4
Series 7200 Grade 1 Levers	5
Lever Specifications	5
Grade-2 Deadbolts	6
Latchbolt/Deadbolt Strike Options	6
Lockset Accessories	7

2. Bulldog Series 8000 Door Closers

8844 Grade-1 Door Closer	9
8600 Grade-1 Door Closer	10
8400 Grade-1 Door Closer	11
8200 Grade-2 Door Closer	12
Door Closer Application Guide	13

3. Bulldog Series 9000 Exit Devices

9500 Rim Exit Device	15
9560 Vertical Rod Exit Device	16
9560 Vertical Rod Less Bottom Rod Exit Device	17
Exterior Trim Selection	18
Exit Device Parts & Accessories	19
Exit Device Application Guide	21

4. Bulldog Commercial Hardware Warranty 22

Bulldog Commercial Grade-2 Emergency Egress Interconnect Lock

6900 Series Grade-2 Heavy Duty Interconnect Avery (AL) & Erin (EL)		Standard Finish		Special Order Finishes			Case Qty	Case Wt	Case Size
order code	function	SS	10B	**AB	**PB	**PS	Units	LBS	LxWxH
6920	Passage Lever	\$247.00	\$268.00	\$268.00	\$268.00	\$268.00	10	25	15x9x12
6941	Entry Lever	\$273.00	\$294.00	\$294.00	\$294.00	\$294.00	10	35	15x9x12



AL6941SS Shown
Avery Style
Entry Function
Interconnect



EL6920SS Shown
Erin Style
Passage Function
Interconnect



ELD6920SS Shown
Erin Designer Style
Passage Function
Interconnect



Meets ADA
Regulations



UL LISTED

(Note: No exterior escutcheon
available with this style)

INTERCONNECT FUNCTIONS			INTERCONNECT SPECIFICATIONS	
	6920 Passage	1-Point Locking. Both levers always free turning to retract latch. Rotating inside lever simultaneously unlocks deadbolt. Deadbolt also unlocked with key or by rotating interior thumb turn.	ANSI/BHMA	Grade-2
			Latch	2-3/8" backset, 1" round corner narrow faceplate std. 2-3/4" square corner optional.
			Strikes	Deadbolt: PT-DS06 2-3/4" RCS std. Lever: PT-LS16 full lip RCS std.
			Cylinder	5 pin KW1 std. "C" optional.
	6941 Entry	2- Point locking. Key or inside push button locks both levers. Turning inside lever unlocks both levers and the deadbolt simultaneously. Deadbolt also unlocked with key or by rotating interior thumb turn.	Door Prep	1" edge bore, 1"x 2-1/4" latch mortise, 2-1/8" cross bores, 4" center to center.
			Door Thickness	Minimum 1-3/8", Maximum 1-3/4".
			Handing	Non-Handed Design.
			U.L.	3 hour, U.L. Labeled Fire Rated.

Bulldog Commercial Grade-2 Levers

6100 Series Grade-2 Standard Duty Levers Avery (AL) & Erin (EL)		Stocking Finish	Special Order Finishes				Case Qty	Case Wt	Case Size
Order code	Function	SS	**10B	**AB	**PB	**PS	Units	LBS	LxWxH
6120	Passage	\$105.00	\$119.00	\$119.00	\$119.00	\$119.00	10	22.8	17 x 4 x 9
6131	Restroom	\$110.00	\$123.00	\$123.00	\$123.00	\$123.00	10	23.6	17 x 4 x 9
6141	Entry	\$117.00	\$130.00	\$130.00	\$130.00	\$130.00	10	25.1	17 x 4 x 9
6150	Storeroom	\$122.00	\$133.00	\$133.00	\$133.00	\$133.00	10	25.1	17 x 4 x 9
6160	Classroom	\$136.00	\$151.00	\$151.00	\$151.00	\$151.00	10	26.0	17 x 4 x 9



AL6141SS
Avery Keyed Entry Shown



Meets ADA
Regulations



EL6141SS
Erin Keyed Entry Shown



UL LISTED

6200 Series Grade-2 Heavy Duty Levers Avery (AL) & Erin (EL)		Stocking Finish	Special Order Finishes				Case Qty	Case Wt	Case Size
Order code	Function	SS	10B	**AB	**PB	**PS	Units	LBS	LxWxH
6220	Passage	\$137.00	\$147.00	\$147.00	\$147.00	\$147.00	6	24.1	16 x 12 x 10
6231	Restroom	\$142.00	\$153.00	\$153.00	\$153.00	\$153.00	6	24.7	16 x 12 x 10
6241	Entry	\$153.00	\$163.00	\$163.00	\$163.00	\$163.00	6	25.3	16 x 12 x 10
6250	Storeroom	\$158.00	\$168.00	\$168.00	\$168.00	\$168.00	6	25.6	16 x 12 x 10
6260	Classroom	\$168.00	\$178.00	\$178.00	\$178.00	\$178.00	6	26.2	16 x 12 x 10
6290	1/2 Dummy	\$63.00	\$68.00	\$68.00	\$68.00	\$68.00	6	15.5	15 x 12 x 9



AL6241SS
Avery Heavy Duty
Keyed Entry Shown



Meets ADA
Regulations



EL6241SS
Erin Heavy Duty
Keyed Entry Shown



UL LISTED

 CopperCreek
HARDWARE

Bulldog Commercial Grade-1 Levers

7200 Series Grade-1 Heavy Duty Levers Avery (AL)		Stocking Finish		Special Order Finishes			Case Qty	Case Wt	Case Size
Order code	Function	SS	10B	**AB	**PB	**PS	Units	LBS	LxWxH
7220	Passage	\$184.00	\$195.00	\$195.00	\$195.00	\$195.00	6	29	15 x 9 x 12
7231	Restroom	\$189.00	\$200.00	\$200.00	\$200.00	\$200.00	6	30	15 x 9 x 12
7241	Entry	\$200.00	\$210.00	\$210.00	\$210.00	\$210.00	6	31	15 x 9 x 12
7250	Storeroom	\$205.00	\$220.00	\$220.00	\$220.00	\$220.00	6	31	15 x 9 x 12
7260	Classroom	\$231.00	\$241.00	\$241.00	\$241.00	\$241.00	6	31.5	15 x 9 x 12



AL7241SS

Avery Keyed Entry Shown



Meets ADA Regulations



UL LISTED


BULLDOG Lever Specifications & Options

	6100 Standard Duty	6200 Heavy Duty	7200 Heavy Duty
ANSI / BHMA	Grade-2	Grade-2	Grade-1
Rose Diameter	3"	3-3/8"	3-1/2"
Cylinder	6 pin C std. 5 pin KW1 opt.		
Keying	All Bulldog levers are shipped KD - Special keying services available on page 7.		
Thru-Bolt (auxiliary)	N/A	Two standard, removable.	
Latch	2-3/4" backset, 1" square corner narrow faceplate std. 2-3/8" optional. 1-1/8" black filler plate included to adapt to 1-1/8 hollow metal latch face cutout.		2-3/4" backset, 1-1/8" square corner wide faceplate. 2-3/8" optional.
Strike	PT-LS12: 2-3/4" T-Strike std. PT-LS22: 4-7/8" ASA opt. (\$2.40 list adder)		PT-LS22: 4-7/8" ASA std. PT-LS12 2-3/4" T-Strike opt.
Door Prep	1" edge bore, 1" or 1-1/8" x 2-1/4" latch mortise, 2-1/8" cross bore, 2-3/4" backset standard, 2-3/8" optional.		Same with 161 edge cutout only (1-1/8" x 2-1/4").
Clutch	Not available	Standard	
Door Thickness	Minimum 1-3/8", Maximum 1-3/4".		
Handing	All 6100, 6200, and 7200 levers are non-handed design.		
U.L.	Standard 3 hour, U.L. Labeled Fire Rated.		

Bulldog Commercial Grade-2 Deadbolts

6400 Series Grade-2 Heavy Duty Deadbolt		Standard Finish				Special Order Finishes		Case Qty	Case Wt	Case Size
order code	function	SS	10B	AN	PB	**TB	**PS	Units	LBS	LxWxH
DB6410	Single Cyl.	\$44.10	\$50.00	\$48.50	\$44.10	\$50.00	\$48.50	6	24	15 x 9 x 12

** Special order - regular factory lead-times and minimums apply - see representative for details.



UL LISTED



Meets ADA Regulations

DB6410 DEADBOLT SPECIFICATIONS

ANSI/BHMA	Grade-2
Latch	Adjustable backset, 1" round corner narrow faceplate std.
Strike	PT-DS06-4H 4-Hole Round Corner with Steel reinforcing plate std.
Cylinder	6 pin C std. 5 pin KW1 opt.
Door Prep	1" edge bore, 1"x 2-1/4" latch mortise, 2-1/8" cross bore.
Door Thickness	Minimum 1-3/8", Maximum 1-3/4"
Handing	Non-Handed Design
U.L.	3 hour, U.L. Labeled Fire Rated






Bulldog Deadbolt Strike Options

	PT-DS34FL 3-5/8" x 1-1/4". \$2.50 if ordered as part. \$2.10 upcharge with deadbolt.
	PT-DS34 3-5/8" x 1-1/4". \$2.50 if ordered as part. \$2.10 upcharge with deadbolt.
	PT-DS02-4H 2-3/4" x 1-1/8". \$2.20 if ordered as part. No charge with deadbolt.
	PT-DS06-4H 2-3/4" x 1-1/8". \$2.20 if ordered as part. Standard strike with deadbolt.
	PT-STBP-4H 2-3/4" x 1-1/8". Strike Reinforcing Plate. Std with DS02 and DS06 Strikes. \$1.20 if ordered as part.

Bulldog Latchbolt Strike Options

	PT-LS22 4-7/8" x 1-1/4". \$4.30 if ordered as part. Standard with 7200 Series \$2.60 upcharge if ordered with 6900, 6200, or 6100 Series Lever.
	PT-LS12 2-3/4" x 1-1/8". \$1.70 if ordered as part. Standard with 6200 & 6100 Series levers.
	PT-LS16 2-1/4" Full Lip \$1.70 if ordered as part. Standard with 6900 Series Interconnect. No charge with lever.


Bulldog Commercial Lever Accessories

Item View	Lever Series	Description	Part Number	Finish (Specify)	Backset (Specify)	Box qty	List Price
	6100 6200 6900	Square Corner Deadlatch Square Corner Restroom Latch Square Corner Plainlatch	PTEV-SCDL PTEV-SCPL2 PTEV-SCPL	10B, SS	2-3/4" & 2-3/8"	1	\$12.80
	6100 6200 6900	Round Corner Deadlatch Round Corner Restroom Latch Round Corner Plainlatch	PTIL-RCDL PTIL-RCPL2 PTIL-RCPL	10B, SS	2-3/4" & 2-3/8"	1	\$12.80
	7200	Square Corner Deadlatch Square Corner Restroom Latch Square Corner Plainlatch	PTFL-SCDL PTFL-SCPL2 PTFL-SCPL	10B, SS	2-3/4" & 2-3/8"	1	\$12.80
	6900 (Dead-bolt)	Square Corner Deadbolt Latch Round Corner Deadbolt Latch	PTIL-SCBL PTIL-RCBL	10B, SS	Adjust-able	1	\$12.80
	all NFL latches	1" to 1-1/8" backer-plate. Adapts 1" faceplate to 161 cutout.	PTEV-BKPLT	Black	-	1	\$0.50
	6100 6200 6900 (lever)	C-Keyway lever cylinder KW1-Keyway lever cylinder	PTEV-CYL-C PTEV-CYL-KW	PB, SS	Specify Function	1	\$16.10
	6900 (deadbolt)	C-Keyway DB cylinder KW1-Keyway DB cylinder	PTIL-DBCYL-C PTIL-DBCYL-KW	PB, SS		1	\$16.10
	7200 (lever)	C-Keyway Cylinder KW1-Keyway Cylinder	PTFL-CYL-C PTFL-CYL-KW	PB, SS	Specify Function	1	\$16.10
	ALL	C 6-pin Key Blank KW1 5-pin Key Blank	PT-CCKB01-C-6 PT-CCKB01	-	-	250	\$113.00
	ALL	Schlage C Key Kit	PT-KEYKITC	-	-	1	\$100.00
		Copper Creek KW1 Key Kit	PT-KEYKIT-2	-	-	1	\$75.00
	6200	Hole spacing jig. Facilitates correct hole alignment/drilling for auxiliary thru-bolts on 6200 series lever	PT-G2MOUNTJIG	-	-	1	\$4.00
Commercial Keying Services	6100 6200 6900 7200	Keyed Alike-KA Builder Keying-BK Master Keying-MK BuilderMaster Keying-BMK GrandMaster Keying-GMK Maison Keying-MAIS	PT-LT-KA001 PT-LT-BK001 PT-LT-MK001 PT-LT-BMK001 PT-LT-GMK-001 PT-LT-MAISON	-	-	per cyl	\$3.00 \$4.00 \$3.60 \$5.00 \$5.00 \$8.00

[illegible]

Bulldog 8844 Door Closer

- Heavy-duty, high traffic door closer.
- ANSI Grade-1.
- UL Listed - Compliant for positive pressure.
- Size 1-6 (adjustable) - Barrier Free.
- Adjustable closing & latching speeds.
- Non-handed.
- Standard Back-check.
- Cast iron body with forged steel arm.
- Double heat treated steel pinion.
- Tri-packed for standard, parallel, & top jamb applications.
- Stick-on mounting template included.
- Plastic Cover Standard.
- Thru-bolts included.
- Aluminum (AL) and Duro-Bronze (DB)
- Standard finishes.
- 25 Year Warranty.






Closer	Part #	Closer Description	Price
CL8844BF AL		Barrier Free	\$286.00
CL8844BF DB		Size 1-6 Adjustable	

Accessory	Part Number	Description	Price	Qty
	PT-C88-FSA (AL/DB)	CL8844 Forged Arm Assembly - AL or DB Finish	\$38.00	ea.
	PT-C88-CSA (AL/DB)	CL8844 Cushion Stop Arm - AL or DB Finish	\$64.00	ea.
	PT-C88-CHO (AL/DB)	CL8844 Cushion Hold Open Arm - AL or DB Finish	\$64.00	ea.
	PT-C88-Cover (AL/DB)	CL8844 Plastic Cover - AL or DB Finish	\$23.00	ea.
	PT-C88-PAB (AL/DB)	CL8844 Parallel Arm Bracket - AL or DB Finish	\$12.70	ea.
NPA	PT-C88-Template	CL8844 Stick on templates (6)	\$11.50	6 pcs.
NPA	PT-LPP-SP44 (AL/DB)	CL8844 Complete Screw Pack Including Thru-bolts	\$9.20	ea.
DROP PLATES	PT-C88-DP18	Pull Side (where top door rail less than 3-3/4") Requires Minimum 2" Height Door Rail	\$22.50	ea.
	PT-C88-DP18G	Top Jamb Installation (ceiling flush to top of header)		
	PT-C88-DP18J	Top Jamb Installation (door headers less than 3-1/2")		
	PT-C88-DP18PA	Top Jamb Installation (door rails less than 5-1/2") Requires Minimum 2" Door Rail.		

Bulldog 8600 Door Closer

- Heavy duty door closer.
- ANSI Grade-1 UL Listed.
- Size 1-6 (adj.) - Barrier Free.
- Adjustable closing & latching speeds.
- Non-handed.
- Standard Back-check.
- Delayed-action (opt).
- Cast aluminum body
- Tri-packed for standard, parallel, & top jamb applications.
- Stick on templates available.
- Plastic cover standard.
- Thru-bolts included.
- Aluminum (AL) & Duro-Bronze (DB)
- 25 Year Warranty.



Description	Size
A. Closer Length	11-7/8"
B. Horizontal Mounting Holes	11-1/8"
C. Vertical Mounting Holes	3/4"
D. Closer Body Height	2"
E. Projection From Door	2-3/8"


Closer	Part #	Closer Description	(6) Full Case
CL8600BF AL CL8600BF DB		Barrier Free Size 1-6 Adjustable	\$186.00
CL8600BFDA AL CL8600BFDA DB		Barrier Free Size 1-6 Adjustable Delayed Action	\$196.00

Accessory	Part Number	Description	Price	Qty
	PT-C86-SSA (AL/DB)	CL8600 Stamped Steel Arm - AL or DB Finish	\$16.10	ea.
	PT-C86-CSA (AL/DB)	CL8600 Cushion Stop Arm - AL or DB Finish	\$46.00	ea.
	PT-C86-FHO (AL/DB)	CL8600 Friction Hold Open Arm - AL or DB Finish	\$41.40	ea.
	PT-C86-Cover (AL/DB)	CL8600 Plastic Cover - AL or DB Finish	\$13.80	ea.
	PT-C86-PAB (AL/DB)	CL8600 Parallel Arm Bracket - AL or DB Finish	\$4.20	ea.
NPA	PT-C86-Template	CL8600 Stick on templates (6)	\$11.50	6 pcs.
NPA	PT-LPP-SP8684 (AL/DB)	CL8600 Wood & Machine Screw Pack	\$6.90	ea.
	PT-LPP-SN8684	CL8684 Thru-bolts	\$6.90	4 pcs.
DROP PLATES	PT-C86-DP (AL/DB)	Push or Pull Side, Regular Arm, Narrow Plate (2")	\$17.50	ea.
	PT-C86-DP-PA (AL/DB)	Push side Used With Parallel Arm Installation		


Bulldog 8400

Door Closer

- Standard duty door closer.
- ANSI Grade-1 UL Listed.
- Size 1-6 (adj.) - Barrier Free.
- Adjustable closing & latching speeds.
- Non-handed.
- Standard Back-check.
- Cast aluminum body.
- Tri-packed for standard, parallel, & top jamb applications.
- Stick on templates available.
- Plastic cover (opt).
- Thru-bolts included.
- Aluminum (AL) & Duro-Bronze (DB) standard finishes.
- 25 Year Warranty.





Closer	Part #	Closer Description	Price
CL8400BF AL		Barrier Free	\$143.00
CL8400BF DB		Size 1-6 Adjustable	

Accessory	Part Number	Description	Price	Qty
	PT-C84-FSA (AL/DB)	CL8400 Forged Steel Arm - AL or DB Finish	\$16.10	ea.
	PT-C84-CSA (AL/DB)	CL8400 Cushion Stop Arm - AL or DB Finish	\$46.00	ea.
	PT-C84 FHO (AL/DB)	CL8400 Friction Hold Open Arm - AL or DB Finish	\$41.40	ea.
	PT-C84-Cover (AL/DB)	CL8400 Plastic Cover - AL or DB Finish	\$10.35	ea.
	PT-C84-PAB (AL/DB)	CL8400 Parallel Arm Bracket - AL or DB Finish	\$4.20	ea.
NPA	PT-C84-Template	CL 8400 Stick on templates (6)	\$11.50	6 pcs.
NPA	PT-LPP-SP8684 (AL/DB)	CL8400 Wood & Machine Screw Pack - AL or DB	\$6.90	ea.
	PT-LPP-SN8684	CL8684 Thru-bolts	\$6.90	4 pcs.
DROP PLATES	PT-C84-DP (AL/DB)	Push or Pull Side, Regular Arm, Narrow Plate (2-9/16")	\$14.50	ea.
	PT-C84-DP-PA (AL/DB)	Push side Used With Parallel Arm Installation		

Bulldog 8200

Door Closer


- Standard duty.
- ANSI Grade-2 - UL Listed.
- Fixed Size 2 or 3.
- Standard sweep & latching.
- Non-handed.
- Cast aluminum body.
- Dual-packed for standard, & top jamb applications.
- Parallel arm bracket optional.
- Aluminum (AL) & Duro-Bronze (DB) standard finishes.
- 5 Year Warranty.




Closer	Part #	Closer Description	Price
CL8202 AL CL8202 DB		Fixed Size 2	\$83.00
CL8203 AL CL8203 DB		Fixed Size 3	\$87.00

Accessory	Part Number	Description	Price	Qty
	PT-C82- SSA AL PT-C82-SSA DB	CL8200 Stamped Arm assembly AL or DB Finish	\$13.80	ea.
	PT-C82-PAB AL PT-C82-PAB DB	CL8200 Parallel Bracket - AL or DB Finish	\$4.20	ea.
NPA	PT-LPP82 AL PT-LPP82 DB	CL8200 Wood & Machine Screw Pack AL or DB	\$6.90	ea.


Bulldog Series 8000 Door Closer Applications



Regular arm-Pull Side



Top Jamb-Push Side



Parallel arm-Push Side

Choosing The Correct Series 8000 Door Closer

Regular & Top Jamb				Parallel Arm			Applicable Door Weight LBS (KGS)
Maximum Size Of Door							
Closer Size	Interior	Exterior Inswing	Exterior Outswing	Closer Size	Interior	Exterior Outswing	
1	28'' (0.71m)	N/A		1	-	-	33-66 (15-30)
2	36'' (0.91m)			2	30'' (0.76m)	-	66-99 (30-45)
3	42'' (1.07M)	30'' (0.76m)	36'' (0.91m)	3	36'' (0.91m)	30'' (0.76m)	99-143 (45-65)
4	48'' (1.22m)	36'' (0.91m)	42'' (1.07m)	4	42'' (1.07m)	36'' (0.91m)	143-187 (65-85)
5	54'' (1.37m)	42'' (1.07M)	48'' (1.22m)	5	48'' (1.22m)	42'' (1.07m)	187-264 (85-120)
6	60'' (1.52m)	48'' (1.22m)	54'' (1.37m)	6	54'' (1.37m)	48'' (1.22m)	264-330 (120-150)

Bulldog Competitor Cross References

Bulldog	Cal-Royal	K2	LCN	Norton	Pamex	Russwin	Sargent	Yale
CL8844	CR441	-	4041	7500	-	2820K	1230	4400
CL8600	900	QDC200	1460-72G	8501	5600	2820K	1230	3501
CL8400	300	QDC300	-	1601	8700	-	-	51BF
CL8202/8203	700	-	1050	1600	800	2800	-	50

[illegible]

Bulldog Rim Exit Devices

Standard Rim Exit Device (R9500)

Fire Rated Rim Type (R9500F)

Fits all standard metal & wood doors 1-3/4" thick standard, 2-1/4" optional.

Stainless Steel, Painted Aluminum, Painted Bronze finishes.

Device compatible with 161 cutout on hollow metal doors.

Thru-bolts standard on F-rated devices.

Stainless steel springs throughout.

3 hour fire rated (F rating).

Black Coated Steel Strikes.

ANSI 156.2 Grade-1.

Non-Handed Design.

36" or 48" widths.


UL Listed.



UL LISTED



Meets ADA
Regulations




Category	Description	Finish	Bulldog Part #	List Price
9500 Series: Standard Rim Device	Grade 1 Rim Exit 36" wide - Stainless Steel	SS	R9500-SS-36	\$451.00
	Grade 1 Rim Exit 36" wide - Aluminum	AL	R9500-AL-36	\$286.00
	Grade 1 Rim Exit 36" wide - Bronze	DB	R9500-DB-36	\$286.00
	Grade 1 Rim Exit 48" wide - Stainless Steel	SS	R9500-SS-48	\$473.00
	Grade 1 Rim Exit 48" wide - Aluminum	AL	R9500-AL-48	\$297.00
	Grade 1 Rim Exit 48" wide - Bronze	DB	R9500-DB-48	\$297.00
9500-F Series: Fire Rated Rim Device	Fire Rated Grade 1 Rim Exit 36" wide - Stainless Steel	SS	R9500F-SS-36	\$528.00
	Fire Rated Grade 1 Rim Exit 36" wide - Aluminum	AL	R9500F-AL-36	\$363.00
	Fire Rated Grade 1 Rim Exit 36" wide - Bronze	DB	R9500F-DB-36	\$363.00
	Fire Rated Grade 1 Rim Exit 48" wide - Stainless Steel	SS	R9500F-SS-48	\$550.00
	Fire Rated Grade 1 Rim Exit 48" wide - Aluminum	AL	R9500F-AL-48	\$374.00
	Fire Rated Grade 1 Rim Exit 48" wide - Bronze	DB	R9500F-DB-48	\$374.00

Bulldog Vertical Rod Exit Devices

Standard V-Rod Device (V9560)

Fire Rated V-Rod Device (V9560F)



Fits all standard metal & wood doors 1-3/4" thick standard, 2-1/4" opt.
 Stainless Steel, Painted Aluminum, Painted Bronze finishes.
 Device compatible with 161 cutout on hollow metal doors.
 Surface mounted top & bottom strikes standard.
 Recessed Bottom strike for Fire Rated Device.
 Thru-bolts standard on F-rated devices.
 Stainless steel springs throughout.
 3 Hour Fire Rated (F rating).
 Black Coated Steel Strikes.
 ANSI 156.2 Grade-1.
 36" or 48" widths.
 UL Listed.




Category	Description	Finish	Bulldog Part #	List Price
9560V Series: Vertical Rod Device	Grade 1 Vertical Rod Exit 36" wide - Stainless Steel	SS	V9560-SS-36	\$638.00
	Grade 1 Vertical Rod Exit 36" wide - Aluminum	AL	V9560-AL-36	\$451.00
	Grade 1 Vertical Rod Exit 36" wide - Bronze	DB	V9560-DB-36	\$451.00
	Grade 1 Vertical Rod Exit 48" wide - Stainless Steel	SS	V9560-SS-48	\$660.00
	Grade 1 Vertical Rod Exit 48" wide - Aluminum	AL	V9560-AL-48	\$462.00
	Grade 1 Vertical Rod Exit 48" wide - Bronze	DB	V9560-DB-48	\$462.00
9560V-F Series: Fire Rated Vertical Rod Device	Fire Rated Grade 1 Vertical Rod Exit 36" wide - Stainless Steel	SS	V9560F-SS-36	\$726.00
	Fire Rated Grade 1 Vertical Rod Exit 36" wide - Aluminum	AL	V9560F-AL-36	\$539.00
	Fire Rated Grade 1 Vertical Rod Exit 36" wide - Bronze	DB	V9560F-DB-36	\$539.00
	Fire Rated Grade 1 Vertical Rod Exit 48" wide - Stainless Steel	SS	V9560F-SS-48	\$748.00
	Fire Rated Grade 1 Vertical Rod Exit 48" wide - Aluminum	AL	V9560F-AL-48	\$550.00
	Fire Rated Grade 1 Vertical Rod Exit 48" wide - Bronze	DB	V9560F-DB-48	\$550.00

Bulldog Less-Bottom-Rod Devices

Standard V-Rod Device (V9560 LBR)

Fire Rated V-Rod Device (V9560F LBR))



Category	Description	Finish	Bulldog Part #	List Price
9560V Series: Vertical Rod Device Less Bottom Rod	Grade 1 Vertical Rod Exit 36" - LBR - Stainless Steel	SS	V9560-LBR-SS-36	\$632.00
	Grade 1 Vertical Rod Exit 36" - LBR - Aluminum	AL	V9560-LBR-AL-36	\$445.00
	Grade 1 Vertical Rod Exit 36" - LBR- Bronze	DB	V9560-LBR-DB-36	\$445.00
	Grade 1 Vertical Rod Exit 48" - LBR - Stainless Steel	SS	V9560-LBR-SS-48	\$654.00
	Grade 1 Vertical Rod Exit 48" - LBR- Aluminum	AL	V9560-LBR-AL-48	\$456.00
	Grade 1 Vertical Rod Exit 48" - LBR - Bronze	DB	V9560-LBR-DB-48	\$456.00
9560V-F Series: Fire Rated Vertical Rod Device Less Bottom Rod	Fire Rated Grade 1 Vertical Rod Exit 36" - LBR - Stainless Steel	SS	V9560F-LBR-SS-36	\$720.00
	Fire Rated Grade 1 Vertical Rod Exit 36" - LBR - Aluminum	AL	V9560F-LBR-AL-36	\$533.00
	Fire Rated Grade 1 Vertical Rod Exit 36" - LBR - Bronze	DB	V9560F-LBR-DB-36	\$533.00
	Fire Rated Grade 1 Vertical Rod Exit 48" - LBR - Stainless Steel	SS	V9560F-LBR-SS-48	\$742.00
	Fire Rated Grade 1 Vertical Rod Exit 48" - LBR - Aluminum	AL	V9560F-LBR-AL-48	\$544.00
	Fire Rated Grade 1 Vertical Rod Exit 48" - LBR - Bronze	DB	V9560F-LBR-DB-48	\$544.00

Bulldog Exit Device Exterior Trims

Fit all Series R9500 & V9560 Exit Devices



PULL PLATES

Part #	Function	Finish	List Price
ED-PCYL-AL	Rim Cyl.	AL	\$66.00
ED-PCYL-DB	Pull Plate	DB	\$66.00
ED-PPLT-AL	Pull Plate	AL	\$21.00
ED-PPLT-DB		DB	\$21.00
ED-CPLT-AL	Cover Plate	AL	\$21.00
ED-CPTL-DB		DB	\$21.00



AVERY LEVER TRIM

Part #	Function	Finish	List Price
AL9020-SS	Passage	SS	116.00
AL9040-SS	Entry	SS	143.00
AL9050-SS	Storeroom	SS	143.00
AL9020-10B	Passage	10B	121.00
AL9040-10B	Entry	10B	149.00
AL9050-10B	Storeroom	10B	149.00

ERIN LEVER TRIM

Part #	Function	Finish	List Price
EL9020-SS	Passage	SS	116.00
EL9040-SS	Entry	SS	143.00
EL9050-SS	Storeroom	SS	143.00
EL9020-10B	Passage	10B	121.00
EL9040-10B	Entry	10B	149.00
EL9050-10B	Storeroom	10B	149.00



THUMB PIECE ESCUTCHEON WITH MORTISE CYLINDER








Part #	Function	Finish	List Price
ED-ESCTHM-AL	Keyed & Thumb-piece	AL	\$165.00
ED-ESCTHM-DB		DB	\$165.00
ED-ESCDMY-AL	Pull Handle only	AL	83.00
ED-ESCDMY-DB		DB	83.00






AVERY ESCUTCHEON TRIM WITH MORTISE CYLINDER

Part #	Function	Finish	List Price
AL9120-SS	Passage	SS	\$143.00
AL9140-SS	Entry	SS	\$187.00
AL9150-SS	Storeroom	SS	\$187.00
AL9190-SS	Dummy	SS	\$143.00
AL9120-10B	Passage	10B	\$143.00
AL9140-10B	Entry	10B	\$187.00
AL9150-10B	Storeroom	10B	\$187.00
AL9190-10B	Dummy	10B	\$143.00

Bulldog Exit Device Accessories

Accessory	Description	Part #	List Price
	Rim Device Surface Strike (3-5/8" x 1-1/4")	PT-ED-RSS	\$8.00
	Fire Rated Rim Surface Strike (3-5/8" x 1-1/4")	PT-ED-FRSS	\$11.50
	V-Rod Device Surface Top Strike (2-1/4" x 1-1/8")	PT-ED-VTS	\$6.70
	Fire Rated V-Rod Surface Top Strike (3-5/8" x 1-1/4")	PT-ED-FVTS	\$12.70
	V-Rod Surface Bottom Strike (2-1/2" x 1/2")	PT-ED-VBS	\$5.20
	Fire Rated V-Rod Bottom Strike includes strike box (mortise in floor) (2-3/4" x 1-3/4")	PT-ED-FVBS	\$6.00
	Overlapping Double Door Strike - Fire Rated	PT-ED-FOS	\$11.500
	Surface Strike Shim - 3-5/8" x 1-1/4"	PT-ED-SSS	\$5.80
	ASA Strike Filler Plate AL Finish	PT-ED-SFP-AL	\$2.60
	ASA Strike Filler Plate DB Finish	PT-ED-SFP-DB	\$2.60
	Latch Mortise Filler Plate AL Finish	PT-ED-LFP-AL	\$1.60
	Latch Mortise Filler Plate DB Finish	PT-ED-LFP-DB	\$1.60
	Auxiliary Fire Latch & Strike (for use with V-rod devices less bottom rod)	PT-ED-AFL (AL/DB)	\$16.00


Bulldog Exit Device Accessories

Accessory	Description	Part #	List Price
	1/8" Shim Kit - All Rim Devices	PT-R9500-SHIM	\$12.00
	1/8" Shim Kit - F-Rated V-Rod Device	PT-V9560-F-SHIM	\$16.10
	1/8" Shim Kit - Std V-Rod Device	PT-V9560-SHIM	\$16.10
	Wood Mounting Screws 6 pieces**	PT-LPP-101	\$1.60
	Machine Screws - 6 pieces **	PT-LPP-102	\$2.00
	Thru-bolts and machine screws. 6 pieces ea. **	PT-LPP-103	\$10.40
	V-ROD Guides and Screws AL or DB	PT-LPP-104 (AL/DB)	\$9.20
	V-ROD Guides and Screws SS	PT-LPP-104 SS	\$11.50
	10 foot door top rod AL or DB Finish (36" over standard for 10' door)	PT-ED-TR10 (AL/DB)	\$32.20
	10 foot door top rod SS	PT-ED-TR10 SS	\$35.70
	8 foot door top rod AL or DB Finish (12" over standard for 10' door)	PT-ED-TR08 (AL/DB)	\$26.40
	8 foot door top rod SS Finish	PT-ED-TR08 SS	\$29.90
	7 foot door top rod - AL or DB Finish (includes std 1 top & 1 bottom Rod)	PT-ED-TR07 (AL/DB)	\$19.00
	7 foot door top rod - SS Finish	PT-ED-TR07 SS	\$22.00
	Standard Bottom Rod - AL or DB	PT-ED-BR (AL/DB)	\$18.40
	Standard Bottom Rod - SS Finish	PT-ED-BR SS	\$21.90
	Rim Cylinder SS Finish KW1 or C	PT-ED-RIMCYLC-SS PT-ED-RIMCYLKW1-SS	\$19.60
	Rim Cylinder 10B Finish	PT-ED-RIMCYLC-10B PT-ED-RIMCYLKW1-10B	\$19.60
	Mortise Cylinder AL Finish KW1 or C	PT-ED-MRTCYLKW1-SS PT-ED-MRTCYLC-SS	\$23.00
	Mortise Cylinder 10B	PT-ED-MRTCYLKW1-10B PT-ED-MRTCYLC-10B	\$23.00
RIM & MORTISE CYLINDER KEYING SERVICES	Keyed Alike (KA)	PT-LT-KA001	\$3.00/cyl.
	Builder Keying (BK)	PT-LT-BK001	\$4.00/cyl.
	Master Keying (MK)	PT-LT-MK001	\$3.60/cyl.
	Builder-Master Keying (BMK)	PT-LT-BMK001	\$5.00/cyl.
	Grand-Master Keying (GMK)	PT-LT-GMK-001	\$5.00/cyl.
	Maison Keying (MAIS)	PT-LT-MAISON	\$8.00/cyl


** Note for Rim device one screw pack is needed,
For Vertical Rod device 2 screw packs are needed.

Series 9500 Exit Device


Application Guide




Rim Type
Single Door
One point locking




Rim Type: Double Door with over-
lapping strike - (No Mullion)
One point locking each door




Vertical Rod Type: Double Door
2 point locking each door



Vertical Rod Type
Single Door
2 point locking



Vertical Rod Type: Double Egress,
2 point locking in both directions



Vertical Rod Device Less Bottom Rods:
Double Door,
Auxiliary Fire Latch option shown,
One point locking into top jamb each door



Bulldog Commercial Hardware Limited Product Warranty

Mechanical Warranty

Copper Creek Inc (hereafter the manufacturer) offers a limited lifetime mechanical warranty for all Bulldog Commercial Hardware. The warranty covers mechanical defects in material and workmanship. The mechanical warranty does not cover misuse, abuse, finish defects, or any damage caused by failure to read installation instructions. The warranty does not cover improper or poor installation or installation in any application not in compliance with manufacturer instructions and guidelines.

Finish Warranty

The manufacturer offers a 2 year finish warranty for Bulldog Commercial hardware to the original purchaser. The warranty covers finish blemishes and tarnish caused by natural environmental elements including sunlight, salt air, and humidity. The warranty does not cover damages from paints, cleaners, chemicals, scratches, abrasions, or improper installation in residential or commercial buildings and applications.

Additional Warranty Terms, Conditions, Guidelines, and Claims

The purchaser of Bulldog Commercial Hardware agrees to the following additional terms and conditions:

- The manufacturer is not responsible or liable for changes or alterations to our products by any 3rd party.
- All warranty claims must be made in writing or by telephone directly to the manufacturer from the original purchaser where the locks were first sold to validate the claim.
- At the manufacturers discretion a site inspection may be required to validate any warranty claims and ensure the products were installed in accordance to the manufacturers guidelines and limitations.
- At the manufacturers discretion all warranty claims may be subject to a factory test lab inspection to identify any improper use and or abuse.
- Bulldog hardware is manufactured and independently tested according to American National Standards Institute (ANSI) grading standards. Any attempt to install Bulldog Commercial Hardware products not in compliance with these guidelines or on any application the product is not designed for, will void all mechanical and finish warranties. If any question or concern exists on the planned or intended use of Bulldog Commercial Hardware, a manufacturer representative should be contacted to confirm the correct application and that guidelines are adhered to prior to installation of the hardware.
- The mechanical and finish warranties are non-transferable, and cover defects on products installed by the original purchaser at the original installation site only.
- Products proven defective in the warranty period should be returned freight prepaid to 570 3rd Street, Lake Elsinore, CA 92530. The product will either be repaired, replaced, or the purchase price returned to the original purchaser. Return freight and or cartage costs are the responsibility of the original purchaser.
- The manufacturer's maximum liability is limited to the original purchase price of the hardware.
- The manufacturer reserves the right to make improvements or changes to the specifications and designs of our products without obligation to incorporate those improvements or changes on previously manufactured products.
- The Manufacturer (CCI) makes no other warranty, either expressed or implied, other than the above stated Mechanical and Finish warranties, terms, conditions, and guidelines.



570 3rd Street,
Lake Elsinore, CA 92530
(951) 674-8004 (*office*)
(888) 492-9080 (*toll free*)
(951) 674-8337 (*fax*)
Web site: www.coppercreekhardware.com
e-mail: sales@cchlocks.com